



SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/4

Ellisons Nail Polish Remover (Non Acetone)

Revision 0

Revision date 2012-03-12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Ellisons Nail Polish Remover (Non Acetone)

1.3. Details of the supplier of the safety data sheet

Company	Richards & Appleby Ltd
Address	Unit 3 Head of the Valleys Industrial Estate Rhymney Gwent NP22 5RL United Kingdom
Telephone	01685 846512
Fax	01685 842466
Email	adamlewandowski@richardsandappleby.co.uk

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	F; R11 Xn; R63 Xi; R36 R66-67 Symbols: F: Highly flammable. Xn: Harmful.
---	---

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Butanone (Butan-2-one (methyl ethyl ketone))	606-002-00-3	78-93-3	201-159-0		70 - 80%	F; R11 Xi; R36 R66 R67
diethylene glycol monomethyl ether (2-(2-Methoxyethoxy) ethanol)	603-107-00-6	111-77-3	203-906-6		10 - 20%	Repr. Cat. 3; R63

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Harmful by inhalation. Inhalation may cause nausea and vomiting. May cause dizziness and headache. Move the exposed person to fresh air. Seek medical attention.
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	May cause irritation to skin. May cause dermatitis. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Harmful if swallowed. Ingestion may cause nausea and vomiting. Ingestion is irritating to the respiratory tract and may cause damage to the central nervous system. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

Ellisons Nail Polish Remover (Non Acetone)

Revision 0

Revision date 2012-03-12

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

5.2. Special hazards arising from the substance or mixture

Highly flammable. Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Eliminate all sources of ignition. Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition - No smoking. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Butanone (Butan-2-one (methyl ethyl ketone))	WEL 8-hr limit ppm: 200	WEL 8-hr limit mg/m3: 600
	WEL 15 min limit ppm: 300	WEL 15 min limit mg/m3: 899
diethylene glycol monomethyl ether (2-(2-Methoxyethoxy) ethanol)	WEL 8-hr limit ppm: 10	WEL 8-hr limit mg/m3: 50.1
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

8.2.2. Individual protection measures

Wear chemical protective clothing.

Eye / face protection

Approved safety goggles.

Skin protection - Handprotection

Chemical resistant gloves (PVC).

Respiratory protection

Self-contained breathing apparatus. Wear protective clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Ellisons Nail Polish Remover (Non Acetone)

Revision 0

Revision date 2012-03-12

9.1. Information on basic physical and chemical properties

State	Liquid
Colour	Red
Odour	Characteristic
Flash point	11
Flammability limits	Highly Flammable

SECTION 10: Stability and reactivity

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	Oxidising agents.
--	-------------------

10.4. Conditions to avoid

	Heat, sparks and open flames.
--	-------------------------------

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
----------------	---------------------------------------

SECTION 12: Ecological information

12.1. Toxicity

	No data is available on this product.
--	---------------------------------------

SECTION 13: Disposal considerations

General information

	Dispose of in compliance with all local and national regulations.
--	---

SECTION 14: Transport information

Hazard pictograms

	
--	---

14.1. UN number

	UN1993
--	--------

14.2. UN proper shipping name

	FLAMMABLE LIQUID, N.O.S.
--	--------------------------

14.3. Transport hazard class(es)

ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

14.4. Packing group

Packing group	I
---------------	---

14.5. Environmental hazards

Environmental hazards	Yes
-----------------------	-----

Ellisons Nail Polish Remover (Non Acetone)

Revision 0

Revision date 2012-03-12

14.5. Environmental hazards

Marine pollutant	Yes
ADR/RID	
Hazard ID	33
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-E
IATA	
Packing Instruction (Cargo)	361
Maximum quantity	30 L
Packing Instruction (Passenger)	351
Maximum quantity	1 L

SECTION 15: Regulatory information

Labelling

Symbols	The product is classified in accordance with 67/548/EEC. F: Highly flammable. Xn: Harmful.
	 

SECTION 16: Other information

Other information

Text of risk phrases in Section 3	R11 - Highly flammable. R36 - Irritating to eyes. R63 - Possible risk of harm to the unborn child. R66 - Repeated exposure may cause skin dryness or cracking. R67 - Vapours may cause drowsiness and dizziness.
-----------------------------------	--

Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--